LED LIGHTING PRODUCT CATALOG



LED LIGHT BARS / LED AUXILIARY LIGHTS / LED WORK UTILITY LIGHTS / LED ACCESSORIES



TABLE OF CONTENTS

LED DOUBLE ROW LIGHT BARS.....PAGE 4

HDX LED GRILLE.....PAGE 6

B-FORCE OVERHEAD 50" LED LIGHT KIT....PAGE 9

LED SINGLE ROW LIGHT BARS......PAGE 11

CONTOUR DRL/LED BULL BAR.....PAGE 13

ULTIMATE LED BULL BAR.....PAGE 14

AUXILIARY LED LIGHTS......PAGE 16

WORK ULTILITY LED LIGHTS.....PAGE 19

WESTINAUTOMOTIVE.COM

©2017 Westin Automotive Products, Inc. Printed in U.S.A.

PERTURNAMA:

LOW PROFILE DOUBLE ROW | POWER OUTPUT 12-300 WATTS

- Available in 2", 4", 6", 10", 20", 30", 40" and 50" lengths
- · Power Output: 12 300 watts
- 6063 extruded aluminum housing with die-cast ends
- · Dust and moisture resistant
- GORE® pressure equalizing vent
- Raw Lumens: 1,500 23,000
- Includes wiring harness with connector, switch, relay and in-line fuse
- · Includes side mount brackets and hardware
- · Available in Flood or Flex beam
- · Limited Lifetime Warrany











- Available in 2" 4", 6", 10", 12, 20", 30", 40"
- · and 50" lengths
- · Power range: 12 300 watts
- · 6063 extruded aluminum housing with die-cast ends
- · Dust and moisture resistant
- Raw Lumens: 800 27,000
- · Includes mounting hardware and pigtail connector
- · Available in Flood and Combo beam
- Limited Lifetime Warranty



LOW PROFILE DOUBLE ROW POWER OUTPUT 36-280 WATTS

- Available in 6", 12", 20", 30", 40", and 50" lengths
- Power Output: 36 280 Watts
- · Dust and moisture resistant
- Raw Lumens: 2.150 19.200
- · Includes side mount brackets, hardware and pigtail connector
- · Available in Combo or Spot beam
- · Limited Lifetime Warranty







DUAL WIRING HARNESS

HDX R-FORCE FLUSH MOUNT LED KIT SET OF 2-AVAILABLE IN 6 INCH AND 10 INCH LENGTHS

- Installs onto Westin HDX Grille Guard punch plate
- · Adjustable slider brackets fits most 6" and 10" double row LED light bars
- Choose mounting method: Cut-out punch plate or direct bolt-on installation
- · Available in 2 sizes:
- (2) 6" B-FORCE double row LED light bars, (2) flush mount faceplates, (2) adjustable slider brackets. (1) dual connecting wiring harness and mounting hardware
- (2) 10" B-FORCE double row LED light bars, (2) flush mount faceplates, (2) adjustable slider brackets, (1) dual connecting wiring harness and mounting hardware

Finish: Black Powder Coat | Material: Steel | Warranty: 3 Year



NEW HDX LED GRILLE

- 11 gauge steel frame with laser cut Westin logo
- (1) Double Row Combo LED Light Bar and (2) Flood or Spot Single Row LED Light Bars*
- · 16 gauge steel light housing
- · Form fitted mesh grille
- · Outer grille frame features torx head accents
- · Bolt-on installation No drilling required

*LED light beam configuration varies by application NOTE: Grille trimming required on some applications

Finish: Textured Black Material: Steel Warranty: 5 Year

LED Warranty: Limited Lifetime

PATENT PENDING











WESTIN





X HDX

SPECIFIC VEHICLE APPLICATIONS



2016-2018 CHEVY SILVERADO 1500



2015-2018 CHEVY SILVERADO 2500/3500



2015-2018 CHEVY COLORADO



2013-2018 RAM 1500 (EXCLUDES REBEL MODEL)



2015-2017 FORD F150



2016-2018 TOYOTA TACOMA



2013-2018 RAM 2500/3500HD





NEVI B-FORCE OVERHEAD 50" LED KIT

50" DOUBLE ROW LED LIGHT BAR INCLUDED

- · Made of 12 gauge steel
- · Kit includes B-Force 50" Double Row LED light bar, laser-cut mounting brackets, wiring harness and mounting hardware
- Brackets bolt beneath A-Pillar to prevent roof leaks
- · Foam gaskets included to protect vehicle finish
- · Upper exposed hardware is black plated stainless steel

NOTE: Professional installation is recommended. Drilling required

Finish: Textured Black Material: Steel Warranty: 3 Year

LED Warranty: Limited Lifetime



12 GAUGE STEEL BRACKETS



SPOT/FLOOD COMBO BEAM



WIRING HARNESS INCLUDED



B-FORCE 50" DOUBLE ROW LED LIGHT BAR

- 3W Cree LED Chips
- Power Output: 300 Watts
- Raw Lumens: 27,000
- · Combo beam provides both spot and flood beam reflectors
- U.S. Patent No. D783192S*
- * Patent face plate for vehicle light fixture











MZZMZ

LOW PROFILE SINGLE ROW | POWER OUTPUT 30 - 250 WATTS

- Available in 6", 10", 20", 30", 40" and 50" lengths
- Power output: 30 250 Watts
- 6063 extruded aluminum housing with die-cast ends
- · Dust and moisture resistant
- Raw Lumens: 3.000 21.500
- Includes wiring harness with connector, switch, relay and in-line fuse
- · Includes side mount brackets and hardware
- · Limited lifetime warranty
- · Available in Flood or Flex beam



- BEAM PATTERN -









BLACK FACE SINGLE ROW | POWER OUTPUT 30 - 250 WATTS

- Available in 6", 10", 20", 30", 40" and 50" lengths
- Power output: 30 250 Watts
- 5 W Cree LED Chips
- 6063 extruded aluminum housing with die-cast ends
- · Dust and moisture resistant
- Raw Lumens: 3,000 21,500
- Includes wiring harness with connector, switch, relay and in-line fuse
- · Includes side mount brackets and hardware
- · Limited lifetime warranty
- · Available in Flood or Combo beam







SINGLE ROW | POWER OUTPUT 15 WATTS

- . 5.5" bar with (5) 3W Epistar chips
- · Power output: 15 watts
- · Dust and moisture resistant
- · Compact light ideal for ATVs
- Raw Lumens:1,850
- · Includes pigtail connector · Available in Flex beam
- · Limited lifetime warranty
- · Available in Pair Pack (Set of 2)



PAIRPACK - SET OF 2

- · Set of (2) Fusion 5 LED lights
- · Wiringharness with connectors, switch and in-line fuse





WIRING HARNESS INCLUDED



NEW CONTOUR DRL LED BULL BAR

30" CURVED LED LIGHT BAR INCLUDED PATENT PENDING

- MOUNT KIT INCLUDED.
- CONTOURED TO VEHICLE FRONT END
- MADE OF 3.5" TUBE
- MULTI-FACETED MOLDED BUSHINGS WITH EXPOSED S/S FASTENERS.
- INCLUDES 30" CURVED DRL (DAYTIME RUNNING LIGHT) LED LIGHT BAR
- DUAL FUNCTION LIGHT:
- PHASE 1: DRL (DAY TIME RUNNING LIGHT
- PHASE 2: FULL LED LIGHT
- WIRING HARNESS INCLUDED
- RIVETED FLUSH MOUNT MOLDING
- ADJUSTABLE CENTER BAR
- BOLT-ON INSTALLATION NO-DRILLING REQUIRED*
- * Minor cutting of fascia may be required

Finish: Chrome Material: 304 Stainless Steel Warranty: Lifetime

LED Warranty: Limited Lifetime

Finish: Textured Black Material: Galvanized Steel Warranty: 3 Year

LED Warranty: Limited Lifetime





WEATHER STRIP



MOLDED BUSHINGS



20" COMBO BEAM LED



30" SINGLE ROW LED LIGHT BAR

- 5W Cree LED Chips
- · Power Output: 90 Watts
- Raw Lumens: 6,300
- · Combo beam provides both spot and flood beam reflectors

NEW ULTIMATE BULL BAR

20" SINGLE ROW LED LIGHT BAR INCLUDED

- · Mount kit included
- · Made of 3" tube
- · Molded transition bushings
- Includes 20" combo beam LED light bar
- · Wiring harness included
- · Clean-cut opening with weather strip seal
- Removable brushed stainless steel skid plate features Westin logo
- Available in chrome plated 304 stainless steel and textured black powder coat finish

Finish: Chrome
Material: Steel
Warranty: Lifetime
LED Warranty: Limited Lifetime

Finish: Textured Black Material: Galvanized Steel Warranty: 3 Year

LED Warranty: Limited Lifetime




WIRING HARNESS INCLUDED



WEATHER STRIP



MOLDED BUSHINGS



20" COMBO BEAM LED

20" SINGLE ROW LED LIGHT BAR

- · 3W Osram LED Chips
- Power Output: 45 Watts
- Raw Lumens: 4,050
- Combo beam provides both spot and flood beam reflectors





HYPERI

B-FORCE AUXILIARY LIGHTS

- Dimensions: 3.2 x 3.0
- Black diamond tread faceplates
- Black plated stainless steel hardware
- · Power output: 20 watts
- Dimensions: 3.5" x 3"
- 5W Cree LED chips
- · Dust and moisture resistant
- · Raw Lumens: 1,080
- Set of 2
- · Pivoting base mount bracket
- Includes mounting hardware and pigtail connectors
- · Limited lifetime warranty
- Available in Spot beam
- U.S. Patent No. D783192S



AVAILABLE ONLY PAIRPACK













PIGTAIL CONNECTOR

















SUZIVEZ







SWIVEL LED WORK LIGHT

LED WORK UTILITY LIGHT | POWER OUTPUT 40 WATTS

- Dimensions: 5.7" x 4.7"
- · 5W Osram LED Chips
- Strong magnetic base
- · Light swivels and pivots for quick repositioning
- · Dust and moisture resistant lens
- Raw Lumens: 3.984
- Includes mounting hardware
- · Includes 12v vehicle connector
- · Limited lifetime warranty
- · Available in Flood beam







CONVENIENT ON/OFF BUTTON

CONNECTOR

INCLUDED

PIGTAIL CONNECTOR

INCLUDED

HANDLE TUCKS IN SECURELY

HD ROUND LED WORK LIGHT POWER OUTPUT 27 WATTS

PIGTAIL

CONNECTOR

ONNECTOR

- · Dimensions: 4.7"
- · 5W Epistar LED Chips
- · Dust and moisture resistant lens
- Raw Lumens: 1,450
- · Pivoting base mount bracket
- · Includes mounting hardware and pigtail connector
- · Limited lifetime warranty
- · Available in Flood beam



HD SQUARE LED WORK LIGHT POWER OUTPUT 27 WATTS

- Dimensions: 4.4" x 4.7"
- 3W Epistar LED Chips
- · Dust and moisture resistant lens
- Raw Lumens: 1.450
- · Pivoting base mount bracket
- · Includes mounting hardware and pigtail connector
- · Limited lifetime warranty
- · Available in Flood beam

ROUND LED WORK LIGHT

POWER OUTPUT 18-27 WATTS

- Dimensions: 4.6" Round (6-LED configuration)
- Dimensions: 4.9" Round (9-LED configuration)
- · 3W Epistar LED Chips
- · Dust and moisture resistant lens
- Raw Lumens: 950 1.450
- · Pivoting base mount bracket
- · Includes mounting hardware and pigtail connector
- · Limited lifetime warranty
- · Available in Flood or Spot beam

SQUARE LED WORK LIGHT

POWER OUTPUT 15-27 WATTS

- Dimensions: 4.3" x 5.0" (5-LED configuration)
- Dimensions: 4.6" x 5.3" (9-LED configuration)
- · 3W Epistar LED Chips
- · Dust and moisture resistant lens
- Raw Lumens: 800 1,450
- Pivoting base mount bracket
- · Includes mounting hardware and pigtail connector
- Limited lifetime warranty
- · Available in Flood or Spot beam







WESTIN TRUSTED SOURCE

#1TRUSTEDSOURCE WESTINAUTOMOTIVE.COM

CUSTOMER SERVICE / SALES

Ph: 800.345.8476 Fax: 626.813.4890

1 ax. 020.0 10.4030

E-mail: customerservice@westinautomotive.com
7AM-4PM PST

WESTIN SALES / MARKETING

Ph: 626.960.6762

Fax: 626.960.2055







SEARCH #WESTINAUTOMOTIVE AND STAY CONNECTED!







320 W. COVINA BLVD. SAN DIMAS, CA 91773

5.4237 | W09 | 102017

©2017 Westin Automotive Products, Inc. Printed in U.S.A.